




PREMIER WATER TANKS

Powered By



PREMOTANKS.COM

TABLE OF CONTENTS

- 1 - ABOUT US
- 2 - WHY US
- 3 - 3 YEAR WARRANTY
- 4 - OUR TANKS
- 5 - PRODUCT SUPPORT
- 6 - SINGLE PIECE SIDEWALL
- 7 - PATENT PENDING
- 8 - BAFFLING SYSTEM
- 9 - SPRAY HEADS
- 10 - NITRO HD CANNON
- 11 - PERMCO
- 12 - BERKELEY
- 13 - FEATURES & OPTIONS
- 14 - TANK CAPACITIES
- 15 - TANK SPECS

PREMIER
WATER TANKS

ABOUT US

Premier Water Tanks, with over 40 years in the heavy construction equipment industry has acquired Team G Water Trucks, a tried-and-true brand with over 25 years of water tank design and manufacturing. The move to acquire Team G Water Tanks first started over the course of two years when existing relationships recognized the potential in not only the Team G product but also the people behind Team G tanks.

Once discussions turned serious with hints of an acquisition, the process took approximately one full calendar year. The deal was signed on February 15, 2022.

Premier Water Tanks manufactures on-road and off-road water tanks for the heavy construction equipment industry. Premier's mission is to provide a consistent, reliable product that saves our customers money, and continually leads the industry with innovative design and solutions.



WHY US

Industry-leading 3-year Warranty

Confidence backed by coverage because we built it to last

Manufactured in the U.S.A.

Precision-built with American steel, American labor, and American standards

Lowest Center of Gravity in the Industry

Engineered for superior stability, safer operation, and improved weight distribution on and off road

Non-intrusive installation

Designed to maintain your truck's OEM specifications, intentionally protecting performance, drivability, and long-term resale value.

100% pulse welded tanks

Advanced pulse welding delivers deeper penetration, stronger seams, and increased structural integrity for maximum longevity.

Single piece sidewall

Formed from one solid panel with a welded rub rail for added reinforcement and protection, eliminating center seams and dramatically increasing rigidity

Patent pending

Purpose-built advancements that set Premier apart from the competition.



3 YEAR WARRANTY

INDUSTRY-LEADING 3-YEAR WARRANTY

At Premier Water Tanks, we stand behind what we build. That's why every tank is backed by an industry-leading 3-year, 1500 hour warranty. The strongest commitment you'll find in the market.

This comprehensive coverage includes the tank structure and workmanship giving you confidence long after delivery.

When you invest in Premier, you're investing in durability, performance, and a company that stands behind its product.



Visit our Warranty page at PremoTanks.com for more warranty resources.

OUR TANKS

Premier products and steel are of the highest quality at a great price point

Berkeley pumps now standard

Each Tank Spec'd to manufacturer chassis for simple installation

3-4 week build time

12 hour installation time

100% proprietary tank design, unmatched by anyone in the industry.

NEW DESIGNS, EXCLUSIVE OFFERS, INDUSTRY INSIGHTS.



BE THE FIRST TO KNOW, SUBSCRIBE TODAY

PRODUCT SUPPORT

Industry-leading, 3-year warranty

Direct relationship with the manufacturers

60+ years of construction industry experience

25+ years of tank design, manufacturing, and industry solutions

Contact product support directly at PremoTanks.com or speak with your salesperson



SINGLE PIECE SIDEWALL

Premier's Single Piece Sidewall starts with one continuous formed steel panel, eliminating the traditional center seam and removing over 300 feet of welding from the tank body. Fewer welds mean fewer stress points, less heat distortion, and greater long-term structural integrity. But that's only part of the story.


Because we operate our own press brake, we're able to form and weld a single, solid-piece rub rail directly over that sidewall. This isn't pieced-together channel iron. It's one continuous structural member that reinforces the tank's centerline while also acting as impact protection.

The result? We've effectively doubled the rigidity through the tank's midsection while adding an external layer of protection against equipment, material, and real-world abuse.




PATENT PENDING

When stability and safety matter, you need innovation that stands firm. Premier Water Tanks' proprietary design pushes the center of gravity lower than ever. That means superior handling, better performance, and trusted reliability. And now, this game-changing design is officially patent pending. With Premier Water Tanks, you're not just hauling water, you're raising the bar.




BAFFLING SYSTEM

**ENGINEERED FOR STABILITY.
DESIGNED FOR CONTROL.
BUILT FOR THE JOBSITE.**



At the core of every Premier Water Tank is a purpose-built internal baffling system designed to control water movement, enhance vehicle stability, and maximize operational safety.

Premier's network of strategically positioned internal baffling compartmentalizes water and restricts the uncontrolled movement of water, commonly known as surge. Without proper baffling, thousands of gallons of water can shift rapidly during acceleration, braking, and cornering, negatively impacting handling, braking distance, and overall vehicle control.



Premier's baffling design incorporates both horizontal and perpendicular internal walls, spanning the distance of each compartment, creating a controlled environment that significantly reduces surge in all directions. This dual-plane configuration delivers balanced load distribution and improved stability whether operating on-road or in demanding off-road environments such as mines, quarries, construction sites, and road projects.

SPRAY HEADS

Premier's 3" Hydraulic Spray Head is purpose-built for off-road water trucks operating in demanding environments such as mines, quarries, construction sites, and haul roads. Designed with reliability and performance in mind, this lightweight yet durable spray head delivers consistent, high-volume water distribution precisely where dust control is critical.

Powered by a dependable hydraulic system, the Premier spray head ensures smooth, controlled operation with optimal flow management. Its engineered spray pattern maximizes ground coverage while minimizing waste, helping operators maintain safer job sites, improved visibility, and reduced airborne particulates.

Built to withstand rugged conditions, the 3" hydraulic spray head integrates seamlessly with Premier off-road tanks and pump systems, offering dependable performance shift after shift.



NITRO HD WATER CANNON

PREMIER'S SEVERE-DUTY STANDARD

The Nitro HD is the monitor we trust when dust control demands strength and precision. Built for mining and heavy construction environments, it features reinforced swivel joints with stainless steel thrust rods and needle roller thrust bearings for long-term durability under continuous operation. High-torque, NEMA 4-rated DC gear motors provide smooth, reliable horizontal and vertical movement, while the 2.5" vaned waterway delivers a powerful, consistent stream with reduced turbulence. It's purpose-built performance that matches the durability standard of every Premier Water Tank.



SPECIFICATIONS


WATERWAY	2.5" VANED DESIGN FOR OPTIMIZED FLOW AND STREAM QUALITY
BASE CONNECTION	2 1/2" FNPT
DISCHARGE CONNECTION	2 1/2" NH MALE THREAD
SWIVEL CONSTRUCTION	STAINLESS STEEL THRUST RODS WITH NEEDLE ROLLER THRUST BEARINGS
DRIVE SYSTEM	PERMANENT MAGNET DC GEAR MOTORS (NEMA 4 RATED)

PERMCO

PERMCO HYDRAULIC MOTORS 2100 & 7600 SERIES

Premier Water Tanks relies on Permco 2100 and 7600 Series hydraulic motors to deliver dependable, high-torque performance in demanding jobsite environments. Built with rugged cast-iron construction and engineered for continuous-duty applications, these motors provide the reliability and power our customers expect in dust suppression and water distribution systems.

Permco's long-standing reputation in fluid power, combined with responsive customer support, aligns with Premier's commitment to quality partnerships and long-term serviceability. The result is a proven hydraulic solution that performs when it matters most; keeping your water truck operating efficiently, consistently, and without compromise.



BERKELEY

AMERICAN-MADE POWER.

PROVEN PERFORMANCE. BUILT FOR THE JOBSITE.

At Premier Water Tanks, Berkeley pumps are now standard on every off-road tank.

For decades, Berkeley has built a reputation for rugged centrifugal pumps designed to move serious water in demanding environments. That same heavy-duty construction translates seamlessly to dust suppression, water transfer, and jobsite support. Cast-iron housings, precision-balanced impellers, and service-friendly designs deliver consistent flow, dependable pressure, and long-term durability.

When a Premier tank leaves the yard, it's powered by more than just water. It's backed by American manufacturing, proven pump engineering, and a commitment to performance that matches our own.



FEATURES & OPTIONS

STANDARD FEATURES GUIDE*	G-2000	G-4000	G-5000
3-year Warranty			
Baffling system, Horizontal			
Baffling system, Parallel			
Ladder			
Backup Camera			
In-cab Spray Controls			
2 Rear Spray, 2 Front Spray			
Driver Side, Side Spray			
In-cab, Electronic Water Gauge			
2, LED Beacon Lights			
Hydraulic System With Cooler			
Cyclone Revisor			
304-304L Stainless Steel Hydraulic Lines			
Permco Hydraulic Motor			
1.5" Lubed Cox Hose Reel & Nozzle Holster			
LED D.O.T Lighting & Reflector Tape			
Drain Ports (Winterizing)			
Premier, Berkley-type Mechanical Seal Pump			
28" Manhole, with Bolted Safety Screen			
Anti-slip walkway atop tank			
High Quality Genesis Exterior Pain			
Interior Tank, Two-Part Marine Grade Epoxy			
3" Fill Pipe with 2" Air Gap			
Hydraulic Filter Housing & Filter Life Gauge			
Winterizing Kit			
Control Panel, Cannon Ready			
PREMIER OPTIONS GUIDE*	G-2000	G-4000	G-5000
Elkhart Nitro Cannon, Remote Control			
Electric Hose Reel			
Self-loading System / Ditch Fill			
Fall Protection Tie-off Points			
Flood Lights			
Dual Side Spray			
Gravity Bar			
Street Flusher Spray Heads			
Factory Installation			
Custom Requests			

*Subject to change.

TANK CAPACITIES

POWER UNIT	CAPACITY	PREMIER TANK
PETERBILT 536	2,000 GALLONS	G2000
PETERBILT 548	4,000 GALLONS	G4000
PETERBILT 548	5,000 GALLONS	G5000

PREMIER PRO TIP: Do not ever ship a truck with water in it!



TANK SPECS

3/16" tank shell walls

3/16" tank end walls

1/4" baseplate A36 steel* with 3/16" baffle system*

*G5000 has 1/2" baseplate A36 steel

PREMIER TANK	LENGTH	WIDTH	HEIGHT	SHIPPING WEIGHT
G2000 (ON 936)	23'6"	8'4"	11'	16,440 LBS
G4000 (ON 948)	31'	8'4"	10'5"	25,400 LBS
G5000 (ON 948)	31'	8'4"	11"	25,400 LBS
G2000 (KIT TANK ONLY)	NO PLUMBING: 10' ASSEMBLED: 12'4"	8'4"	5'10"	4,000 LBS
G4000 (KIT TANK ONLY)	NO PLUMBING: 16' ASSEMBLED: 18'4"	8'4"	5'10"	6,500 LBS
G5000 (KIT TANK ONLY)	NO PLUMBING: 16' ASSEMBLED: 18'4"	8'5"	6'9"	9,800 LBS



THANK YOU FOR YOUR BUSINESS

Be the first to know about new designs,
special discounts and industry insights.
Subscribe today and live Premier.



You can find more resources
by scanning this QR code

352-324-2199

INFO@PREMOTANKS.COM

PREMOTANKS.COM